

according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Revision date: 20.06.2025

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RASCObond EP-Klebespachtel B-Comp

UFI:

MWX6-DXGH-YM06-KDVG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Barrier (Sealant)

1.3. Details of the supplier of the safety data sheet

Company name:	RASCOR International Ltd.
Street:	Gewerbestrasse 4
Place:	CH-8162 Steinmaur
Telephone:	+41 (0)448571111
E-mail:	info@rascor.com
E-mail (Contact person):	labor@rascor.com
Internet:	www.rascor.com
1.4. Emergency telephone	+41 44 251 51 51

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

m-Xylylendiamin Trimethyl-1,6-hexandiamin

Signal word: Danger

Pictograms:



Hazard statements

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary staten	nents

roodationary	otatomonto
P260	Do not breathe o

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.



according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

evision date: 20.06.2025		Page 2 of 1
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wate or shower.	ər
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	

2.3. Other hazards

Re

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	REACH No		
	Classification (GB CLP Regulation)			
1477-55-0	m-Xylylendiamin			10 - <20%
	216-032-5		01-2119480150-50	
	Acute Tox. 4, Skin Corr. 1B, Eye Da H334 H412	nic 3; H302 H314 H318		
107898-54-4	(±) trans-3,3-dimethyl-5-(2,2,3-trime	2-ol	2.5 - <5%	
	411-580-3	603-150-00-0		
	Skin Irrit. 2, Aquatic Acute 1, Aquat			
61788-44-1	Phenol, styrolisiert		1 - <2.5%	
	262-975-0		01-2119979575-18	
	Aquatic Acute 1, Aquatic Chronic 2			
25620-58-0	Trimethyl-1,6-hexandiamin			1 - <2.5%
	247-134-8		01-2119560598-25	
	Acute Tox. 4, Skin Corr. 1C, Skin S	314 H317 H412		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity					
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE						
1477-55-0	216-032-5	16-032-5 m-Xylylendiamin						
	dermal: LD50 =	dermal: LD50 = 3100 mg/kg; oral: LD50 = 930 mg/kg						
25620-58-0	247-134-8	247-134-8 Trimethyl-1,6-hexandiamin						
	oral: ATE = 500 mg/kg							

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

RASCObond EP-Klebespachtel B-Comp

Page 3 of 11

clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Revision date: 20.06.2025

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Page 4 of 11

Revision date: 20.06.2025

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Barrier (Sealant)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	white
Odour:	Ammonia
Melting point/freezing point:	
Boiling point or initial boiling point and	
boiling range:	

No data available No data available

RASCObond EP-Klebespachtel B-Comp

Page 5 of 11

Revision date: 20.06.2025

Flammability:	not determined
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	11
Viscosity / kinematic:	not determined
Water solubility:	partially soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	No data available
Density:	1.55 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not applicable
9.2. Other information	
Information with regard to physical hazard classes	

Explosive properties The product is not: Explosive. Oxidizing properties The product is not: oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Revision date: 20.06.2025

Page 6 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1477-55-0	m-Xylylendiamin					
	oral	LD50 mg/kg	930	Rat		
	dermal	LD50 mg/kg	3100	Rat		
25620-58-0	Trimethyl-1,6-hexandiamin					
	oral	ATE mg/kg	500			

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data) Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (m-Xylylendiamin) May cause an allergic skin reaction. (Trimethyl-1,6-hexandiamin)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1477-55-0	55-0 m-Xylylendiamin						
	Acute fish toxicity	LC50 mg/l	87,6		Oryzias latipes (Ricefish)		
	Acute algae toxicity	ErC50 mg/l	33,3		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	15,2		Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 mg/l()	1000	0 h			

12.2. Persistence and degradability

The product has not been tested.

RASCObond EP-Klebespachtel B-Comp

Page 7 of 11

Revision date: 20.06.2025

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2735
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S.
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	8
Classification code:	C7
	274
Special Provisions:	= · ·
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2735
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S.
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Revision date: 20.06.2025

Revision date: 20.06.2025			Page 8 of 11

Classification code:	C7		
Special Provisions:	274		
Limited quantity:	5 L		
Excepted quantity:	E1		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 2735		
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S.		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
	8		
Special Provisions:	223 274		
Special Provisions: Limited quantity:	5 L		
Excepted quantity:	5 L E1		
EmS:	F-A, S-B		
	1 - / (, O-D		
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u>	UN 2735		
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S.		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
	Â.		
Special Provisions:	A3 A803		
Limited quantity Passenger:	1 L Y841		
Passenger LQ: Excepted quantity:	E1		
IATA-packing instructions - Passenger:	852		
IATA-packing instructions - Lassenger:	5 L		
IATA-packing instructions - Cargo:	856		
IATA-max. quantity - Cargo:	60 L		
14.5. Environmental hazards			
		~	
ENVIRONMENTALLY HAZARDOUS:	Yes	3LL	
		\sim	
14.6. Special precautions for user			
Warning: strongly corrosive.			
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
Other applicable information	a 14		
Hazchem code:	2X		



Page 9 of 11

according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Revision date: 20.06.2025

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75	
Information according to Directive	E2 Hazardous to the Aquatic Environment
2012/18/EU (SEVESO III):	
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,12,13,14,15,16.



according to UK REACH Regulation

RASCObond EP-Klebespachtel B-Comp

Page 10 of 11

Revision date: 20.06.2025

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations EC/EEC: European Community/European Economic Community EU: European Union CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative M-factor: Multiplying factor ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods **EmS: Emergency Schedules** MFAG: Medical First Aid Guide IATA: International Air Transport Association DGR: Dangerous Goods Regulations ICAO: International Civil Aviation Organization **TI: Technical Instructions** MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Verv High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

RASCObond EP-Klebespachtel B-Comp

Revision date: 20.06.2025

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

	V V
Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	industrial	-	-	-	-	-	-	-	
LCS: Life cycle stages SU: Sectors of use									
PC: Product categories PROC: Process categories									
ERC: Environmental release categories				ŀ	AC: Article categories				
TF: Technical functions									

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)