

## RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

RASCOflex AY240 A-Cat

UFI: JJ8G-A80P-A70Q-SXS7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

2K injection sealant

##### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	RASCOR International Ltd.		
Street:	Gewerbstrasse 4		
Place:	CH-8162 Steinmaur		
Telephone:	+41 (0)448571111		
E-mail:	info@rascor.com		
Contact person:	Labor	Telephone:	+41 (0)44 857 11 11
E-mail:	labor@rascor.com		
Internet:	www.rascor.com		

#### 1.4. Emergency telephone number:

+41 44 251 51 51

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

#### 2.3. Other hazards

The mixture does not contain a vPvB substance (vPvB = very persistent, very bioaccumulative) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
107-21-1	ethanediol; ethylene glycol			40-60%
	203-473-3	603-027-00-1		
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 2 of 11

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
107-21-1	203-473-3	ethanediol; ethylene glycol	40-60%
		dermal: LD50 = >3500 mg/kg; oral: LD50 = >7712 mg/kg	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Ensure that first aiders protect themselves!  
Never give anything by mouth to an unconscious person!

#### After inhalation

Provide fresh air. Remove person from danger zone. Supply the person with fresh air and consult a doctor depending on the symptoms.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Wash thoroughly with plenty of soap and water, remove contaminated, soaked clothing immediately, consult a doctor if skin irritation (redness etc.) occurs.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses.  
Rinse thoroughly with plenty of water for several minutes, consult a doctor if necessary.

#### After ingestion

Rinse mouth immediately and drink 1 glass of water. Rinse mouth thoroughly with water, give plenty of water to drink, consult a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

If applicable, delayed symptoms and effects can be found in section 11. or in the intake routes under section 4.1.

May occur:

Irritation of the eyes In case of prolonged contact:

Dermatitis (skin inflammation) Sensitive persons:

Allergic reaction possible.

In certain cases, symptoms of poisoning may only appear after a longer period of time/after several hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet Foam Dry extinguishing powder

#### Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated:

Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>) Gases/vapours, toxic

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Personal protective equipment see section 8. Do not inhale explosion and combustion gases.

Self-contained breathing apparatus. Depending on the size of the fire

Full protection if necessary.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 3 of 11

Cool endangered containers with water.

Dispose of contaminated extinguishing water in accordance with official regulations.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Use personal protection equipment.

##### For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as described in section 8 to prevent contamination.

Ensure adequate ventilation, remove sources of ignition.

In case of solid or powdery products, avoid dust formation. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure adequate ventilation.

Avoid contact with eyes and skin. Be aware of the risk of slipping.

##### For emergency responders

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of leakage of larger quantities, contain. Eliminate leaks if possible without risk. Do not allow to enter the sewage system.

Avoid penetration into surface and ground water as well as into the soil.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Ensure good room ventilation. Avoid contact with eyes and skin.

Do not eat, drink, smoke or store food in the work area. Observe the information on the label and the instructions for use.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

##### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. The general hygiene measures for handling chemicals must be applied. Wash hands before breaks and at the end of work.

Keep away from food, drink and animal feed.

Remove contaminated clothing and protective equipment before entering areas where food is eaten.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Do not store the product in passageways and stairways. Store product only in original packaging and closed. Store at room temperature.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 4 of 11

Protect from frost.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

2K injection sealant

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
107-21-1	ethanediol; ethylene glycol			
Worker DNEL, long-term		inhalation	local	35 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	106 mg/kg bw/day

##### PNEC values

CAS No	Substance	Value
107-21-1	ethanediol; ethylene glycol	
	Environmental compartment	
	Freshwater	10 mg/l
	Marine water	1 mg/l
	Freshwater sediment	37 mg/l
	Marine sediment	3,7 mg/l
	Micro-organisms in sewage treatment plants (STP)	199,5 mg/l

#### 8.2. Exposure controls

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye protection/face protection. Safety goggles (EN 166) tight-fitting with side shields, in case of risk of splashes.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical-resistant protective gloves (EN ISO 374). If necessary Protective gloves made of butyl (EN ISO 374) Protective gloves made of nitrile (EN ISO 374). Protective gloves made of PVC (EN ISO 374) Hand protection cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not carried out under practical conditions. A maximum wearing time corresponding to 50% of the breakthrough time is recommended.

Skin protection - Other protective measures:

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 5 of 11

Protective work clothing (e.g. safety shoes EN ISO 20345, long-sleeved work clothing).

#### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection should be worn if the occupational exposure limits should be worn. If there are no occupational exposure limits, in the event of harmful effects such as respiratory irritation or physical discomfort or when indicated by the risk indicated by the risk assessment process, respiratory protection should be worn. In most most cases, respiratory protection should not be necessary. However, if discomfort occurs an approved filtering facepiece respirator should be used.

The following CE approved respirator should be used: Cartridge for organic vapours vapours, type A (boiling point > 65 °C, complies with EN 14387).

#### Thermal hazards

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	neutral	
		<b>Test method</b>
Melting point/freezing point:	No information available.	
Boiling point or initial boiling point and boiling range:	>100 °C	
Flammability:	Flammable.	
Lower explosion limits:	1,8 vol. %	
Upper explosion limits:	12,8 vol. %	
Flash point:	>100 °C	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	11	
Viscosity / kinematic:	not determined	
Water solubility:	easily soluble	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1.12 g/cm <sup>3</sup>	ISO 2811
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive.

##### Sustained combustibility:

##### Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

UN Test L.2

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 6 of 11

Viscosity / dynamic:  
(at 20 °C)

60-90 mPa·s ISO 2555

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

##### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

##### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4. Conditions to avoid

Safe handling: see section 7

##### 10.5. Incompatible materials

Safe handling: see section 7

Oxidising agent, strong

##### 10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in GB CLP Regulation

###### Acute toxicity

Based on available data, the classification criteria are not met.

###### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-21-1	ethanediol; ethylene glycol				
	oral	LD50 >7712 mg/kg	Rat		
	dermal	LD50 >3500 mg/kg	Mouse		

###### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

###### Sensitising effects

Based on available data, the classification criteria are not met.

###### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

###### STOT-single exposure

Based on available data, the classification criteria are not met.

###### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 7 of 11

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Other information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
107-21-1	ethanediol; ethylene glycol					
	Acute fish toxicity	LC50 mg/l	72860	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 mg/l	6500	96 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 8 of 11

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Dispose according to legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information



## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 9 of 11

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Directive 2010/75/EU on industrial emissions:	0%
Directive 2004/42/EC on VOC in paints and varnishes:	0%
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

##### **National regulatory information**

Water hazard class (D):	1 - slightly hazardous to water
-------------------------	---------------------------------

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### **Changes**

This data sheet contains changes from the previous version in section(s): 1,15.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOflex AY240 A-Cat

Revision date: 30.09.2025

Page 10 of 11

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road )  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).  
 Acute Tox: Acute toxicity

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Barrier (Sealant)	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

**Safety Data Sheet**

according to UK REACH Regulation

**RASCOflex AY240 A-Cat**

Revision date: 30.09.2025

Page 11 of 11

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*