

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

RASCOLiner SL423 B-Comp

UFI: 45SP-UT7S-332X-5PH7

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Barrier (Sealant)

##### 1.3. Details of the supplier of the safety data sheet

Company name: RASCOR International Ltd.

Street: Gewerbestrasse 4

Place: CH-8162 Steinmaur

Telephone: +41 (0)448571111

E-mail: info@rascor.com

Contact person: Labor

Telephone: +41 (0)44 857 11 11

E-mail: labor@rascor.com

Internet: www.rascor.com

##### 1.4. Emergency telephone number:

+41 44 251 51 51

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Carc. 2; H351

Acute Tox. 4; H332

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Resp. Sens. 1; H334

Skin Sens. 1; H317

STOT SE 3; H335

STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation


###### Hazard components for labelling

Methylenediphenylisocyanate

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate

Signal word: Danger

###### Pictograms:



###### Hazard statements

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H332

Harmful if inhaled.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 2 of 11

|      |                                                                            |
|------|----------------------------------------------------------------------------|
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation.                                          |
| H351 | Suspected of causing cancer.                                               |
| H373 | May cause damage to organs through prolonged or repeated exposure.         |

#### Precautionary statements

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P201           | Obtain special instructions before use.                                                                                          |
| P202           | Do not handle until all safety precautions have been read and understood.                                                        |
| P260           | Do not breathe dust/fume/gas/mist/vapours/spray.                                                                                 |
| P264           | Wash hands thoroughly after handling.                                                                                            |
| P271           | Use only outdoors or in a well-ventilated area.                                                                                  |
| P272           | Contaminated work clothing should not be allowed out of the workplace.                                                           |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.                                    |
| P284           | Wear respiratory protection.                                                                                                     |
| P302+P352      | IF ON SKIN: Wash with plenty of water and soap.                                                                                  |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                                                         |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                                       |
| P342+P311      | If experiencing respiratory symptoms: Call a POISON CENTER/doctor.                                                               |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention.                                                                        |
| P308+P313      | IF exposed or concerned: Get medical advice/attention.                                                                           |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.                                                                 |
| P405           | Store locked up.                                                                                                                 |

#### Special labelling of certain mixtures

|        |                                                         |
|--------|---------------------------------------------------------|
| EUH204 | Contains isocyanates. May produce an allergic reaction. |
|--------|---------------------------------------------------------|

#### 2.3. Other hazards

Endocrine disrupting properties: Methylenediphenylisocyanate.

The mixture does not contain a vPvB substance (vPvB = very persistent, very bioaccumulative) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

| CAS No    | Chemical name                                                                                                                                  |              |          | Quantity    |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|-------------|
|           | EC No                                                                                                                                          | Index No     | REACH No |             |
|           | Classification (GB CLP Regulation)                                                                                                             |              |          |             |
| 9016-87-9 | Methylenediphenylisocyanate                                                                                                                    |              |          | 50 - < 55 % |
|           | 618-498-9                                                                                                                                      |              |          |             |
|           | Carc. 2; H351                                                                                                                                  |              |          |             |
| 101-68-8  | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate                                                                         |              |          | 30 - < 35 % |
|           | 202-966-0                                                                                                                                      | 615-005-00-9 |          |             |
|           | Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373 |              |          |             |

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 3 of 11

#### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No     | Chemical name                                                                                                                                                                                                                          | Quantity    |
|-----------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|           |           | Specific Conc. Limits, M-factors and ATE                                                                                                                                                                                               |             |
| 9016-87-9 | 618-498-9 | Methylenediphenylisocyanate                                                                                                                                                                                                            | 50 - < 55 % |
|           |           | dermal: LD50 = 9400 mg/kg; oral: LD50 = 10000 mg/kg                                                                                                                                                                                    |             |
| 101-68-8  | 202-966-0 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate                                                                                                                                                                 | 30 - < 35 % |
|           |           | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); oral: LD50 = 9200 mg/kg Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 Resp. Sens. 1; H334: >= 0.1 - 100 STOT SE 3; H335: >= 5 - 100 |             |

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

###### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

###### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

##### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

##### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 4 of 11

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

##### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Barrier (Sealant)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

| CAS No | Substance                                           | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|--------|-----------------------------------------------------|-----|-------------------|-----------|---------------|--------|
| -      | Isocyanates, all (as -NCO) Except methyl isocyanate | -   | 0.02              |           | TWA (8 h)     | WEL    |
|        |                                                     | -   | 0.07              |           | STEL (15 min) | WEL    |

##### Biological Monitoring Guidance Values (EH40)

| CAS No | Substance                                       | Parameter                               | Value      | Test material | Sampling time                        |
|--------|-------------------------------------------------|-----------------------------------------|------------|---------------|--------------------------------------|
| -      | Isocyanates (applies to HDI, IPDI, TDI and MDI) | isocyanate-derived diamine (creatinine) | 1 µmol/mol | urine         | At the end of the period of exposure |

#### 8.2. Exposure controls

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 5 of 11



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                           |                                                                                                  |                        |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------|
| Physical state:                                           | Liquid                                                                                           |                        |
| Colour:                                                   | brown                                                                                            |                        |
| Odour:                                                    | earthy                                                                                           |                        |
| Melting point/freezing point:                             |                                                                                                  | not determined         |
| Boiling point or initial boiling point and boiling range: |                                                                                                  | 245 °C                 |
| Flammability:                                             |                                                                                                  | not determined         |
| Lower explosion limits:                                   |                                                                                                  | 0,4                    |
| Upper explosion limits:                                   |                                                                                                  | not determined         |
| Flash point:                                              |                                                                                                  | >230 °C                |
| Auto-ignition temperature:                                |                                                                                                  | not determined         |
| Decomposition temperature:                                |                                                                                                  | not determined         |
| pH-Value:                                                 |                                                                                                  | not determined         |
| Viscosity / kinematic:                                    |                                                                                                  | not determined         |
| Water solubility:                                         | The study does not need to be conducted because the substance is known to be insoluble in water. |                        |
| Solubility in other solvents                              | not determined                                                                                   |                        |
| Partition coefficient n-octanol/water:                    |                                                                                                  | not determined         |
| Vapour pressure:                                          |                                                                                                  | not determined         |
| Density:                                                  |                                                                                                  | 1.21 g/cm <sup>3</sup> |
| Relative vapour density:                                  |                                                                                                  | not determined         |
| Particle characteristics:                                 |                                                                                                  | not applicable         |

### 9.2. Other information

#### Information with regard to physical hazard classes

## RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 6 of 11

### Explosive properties

The product is not: Explosive.

### Oxidizing properties

The product is not: oxidising.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Harmful if inhaled.

#### ATEmix calculated

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) 4.412 mg/l

| CAS No    | Chemical name                                                          |               |          |        |        |
|-----------|------------------------------------------------------------------------|---------------|----------|--------|--------|
|           | Exposure route                                                         | Dose          | Species  | Source | Method |
| 9016-87-9 | Methylenediphenylisocyanate                                            |               |          |        |        |
|           | oral                                                                   | LD50<br>mg/kg | 10000    | Rat    |        |
|           | dermal                                                                 | LD50<br>mg/kg | 9400     | Rabbit |        |
| 101-68-8  | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate |               |          |        |        |
|           | oral                                                                   | LD50<br>mg/kg | 9200     | Rat    | GESTIS |
|           | inhalation vapour                                                      | ATE           | 11 mg/l  |        |        |
|           | inhalation dust/mist                                                   | ATE           | 1.5 mg/l |        |        |

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation. (On basis of test data)

Serious eye damage/eye irritation: Causes serious eye irritation. (On basis of test data)

#### Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (On basis of test data)

May cause an allergic skin reaction. (On basis of test data)

Contains isocyanates. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 7 of 11

Suspected of causing cancer. (On basis of test data)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (On basis of test data)

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (On basis of test data)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

Endocrine disrupting properties: Methylendiphenylisocyanate.

##### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

| CAS No    | Chemical name              |               |           |         |                                   |        |
|-----------|----------------------------|---------------|-----------|---------|-----------------------------------|--------|
|           | Aquatic toxicity           | Dose          | [h]   [d] | Species | Source                            | Method |
| 9016-87-9 | Methylendiphenylisocyanate |               |           |         |                                   |        |
|           | Acute fish toxicity        | LC50<br>mg/l  | >1000     | 96 h    | Cyprinus carpio<br>(Common Carp)  |        |
|           | Acute algae toxicity       | ErC50<br>mg/l | 1640      | 72 h    | Scenedesmus<br>quadricauda        |        |
|           | Acute crustacea toxicity   | EC50<br>mg/l  | >500      | 48 h    | Daphnia magna (Big<br>water flea) |        |

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 8 of 11

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### Inland waterways transport (ADN)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### Marine transport (IMDG)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### Air transport (ICAO-TI/IATA-DGR)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 9 of 11

No dangerous good in sense of this transport regulation.

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 56, Entry 75

Directive 2010/75/EU on industrial emissions: 0%

Directive 2004/42/EC on VOC in paints and varnishes: 0%

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

###### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

##### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 15.

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 10 of 11

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road )  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).  
 Acute Tox: Acute toxicity  
 Skin Irrit: Skin irritation  
 Eye Irrit: Eye irritation  
 Resp. Sens: Respiratory sensitisation  
 Skin Sens: Skin sensitisation  
 Carc: Carcinogenicity  
 STOT SE: Specific target organ toxicity - single exposure  
 STOT RE: Specific target organ toxicity - repeated exposure

## Safety Data Sheet

according to UK REACH Regulation

### RASCOLiner SL423 B-Comp

Revision date: 30.09.2025

Page 11 of 11

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Carc. 2; H351       | On basis of test data    |
| Acute Tox. 4; H332  | Calculation method       |
| Skin Irrit. 2; H315 | On basis of test data    |
| Eye Irrit. 2; H319  | On basis of test data    |
| Resp. Sens. 1; H334 | On basis of test data    |
| Skin Sens. 1; H317  | On basis of test data    |
| STOT SE 3; H335     | On basis of test data    |
| STOT RE 2; H373     | On basis of test data    |

#### Relevant H and EUH statements (number and full text)

|        |                                                                            |
|--------|----------------------------------------------------------------------------|
| H315   | Causes skin irritation.                                                    |
| H317   | May cause an allergic skin reaction.                                       |
| H319   | Causes serious eye irritation.                                             |
| H332   | Harmful if inhaled.                                                        |
| H334   | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335   | May cause respiratory irritation.                                          |
| H351   | Suspected of causing cancer.                                               |
| H373   | May cause damage to organs through prolonged or repeated exposure.         |
| EUH204 | Contains isocyanates. May produce an allergic reaction.                    |

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*