Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · Product identifier

- · Trade name: RASCObond FLX121
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Adhesives
- Silicate sealing
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Rascor International AG Gewerbestrasse 4 8162 Steinmaur Switzerland

#### info@rascor.com

- Further information obtainable from: product safety department • Emergency telephone number:
- during office opening hours (8am 5pm) Fon: +41 44 857 11 11

#### **SECTION 2: Hazards identification**

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH 208: Contains Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Description: Mixture		elow with nonhazardous additions.	
Dangerous compor	nents:		
	trimethoxyvinylsilane	Flam. Lig. 3, H226; Acute Tox. 4, H332	>0-<10%

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

Trade name: RASCObond FLX121

(Contd. of page 1)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· Description of first aid measures

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class (TRGS): 10
- · Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)

GB

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

Trade name: RASCObond FLX121 (Contd. of page 2) · Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. DNELs 2768-02-7 trimethoxyvinylsilane Oral DNEL Long-term - oral, systemic effects 0.3 mg/kg\_bw/day (general public) Dermal DNEL Long-term – dermal, systemic effects 3.9 mg/kg\_bw/day (Worker) 7.8 mg/kg bw/day (general public) Inhalative DNEL Long-term – inhalation, systemic effects 27.6 mg/m<sup>3</sup>/day (Worker) 6.7 mg/m<sup>3</sup>/day (general public) · PNECs 2768-02-7 trimethoxyvinylsilane 0.4 mg/l (Aquatic organisms) PNEC short term, fresh water PNEC short term, sea water 0.04 mg/l (Aquatic organisms) PNEC short term, sewage plant 6.6 mg/l (Aquatic organisms) PNEC short term fresh water sediment 1.5 mg/kg (Aquatic organisms) PNEC short term soil 0.06 mg/kg (Aquatic organisms) PNEC short term sea water sediment 0.15 mg/kg (Aquatic organisms) PNEC short term, intermittent releases 2.4 mg/l (Aquatic organisms) · Additional information: The lists valid during the making were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. · Respiratory protection: Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Goggles recommended during refilling **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties

- · General Information
- Appearance:
- Form:

Fluid

(Contd. on page 4)

GB

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

#### Trade name: RASCObond FLX121

	(Contd. of page 3)
Colour:	Different according to colouring
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	11.5
Change in condition	
Melting point/freezing point:	270 °C
Initial boiling point and boiling range	
· Flash point:	107 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.486 g/cm³
· Relative density	Not determined.
Vapour density	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	0.00 %
· Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

 $\cdot$  Possibility of hazardous reactions  $\mbox{No}$  dangerous reactions known.

 $\cdot$  Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

Trado namo: PASCObond El X121

		(Contd. of page
LD/LC50	values rele	vant for classification:
ATE (Acu	te Toxicity	Estimates)
Inhalative	LC50 (4h)	336-1,680 mg/l (rat)
2768-02-7	' trimethox	yvinylsilane
Oral	LD50	7,120-7,236 mg/kg (rat)
Dermal	LD50	3,200 mg/kg (rabbit)
Inhalative	LC50 (4h)	16.8 mg/l (rat)
Skin corr Serious e Respirato	eye damage ory or skin	tion Based on available data, the classification criteria are not met. /irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. ical information:
	cts (carcin	ogenity, mutagenicity and toxicity for reproduction) city Based on available data, the classification criteria are not met. ed on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

· UN-Number

· ADR, IMDG, IATA

not regulated

(Contd. on page 6)

GB

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

Trade name: RASCObond FLX121

		(Contd. of page
· UN proper shipping name · ADR, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
<ul> <li>Transport in bulk according to Ann Marpol and the IBC Code</li> </ul>	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

### **SECTION 15: Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- · VOC (EU) 0.0 g/l
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H226 Flammable liquid and vapour. H332 Harmful if inhaled.

- · Department issuing SDS: Quality Management department
- · Contact: MSDS authorized Person
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 7)

GB

Printing date 23.06.2021

Version number 1.0

Revision: 23.06.2021

(Contd. of page 6)

#### Trade name: RASCObond FLX121

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

GB -