

Page 1 of 12  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 01.11.2021 / 0008  
Replacing version dated / version: 28.02.2019 / 0007  
Valid from: 01.11.2021  
PDF print date: 01.11.2021  
RASCOflex AY808 A-Comp

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### RASCOflex AY808 A-Comp

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

2K injection sealant

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Rascor Construction Chemicals GmbH

Ratsgasse 6

97688 Bad Kissingen

Tel.: +49 (0) 971 130 2738

Fax: +49 (0) 971 133 6251

GB

Distributor:

Rascor International AG

Gewerbestr. 4

8162 Steinmaur

Tel.: +41 (0) 44-857 11 11

Fax: +41 (0) 44-857 11 00

Qualified person's e-mail address: [info@chemical-check.de](mailto:info@chemical-check.de), [k.schnurbusch@chemical-check.de](mailto:k.schnurbusch@chemical-check.de) Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+41 (0) 44-857 11 11 (8.00h - 17.00h)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

EUH208-Contains Methyl methacrylate. May produce an allergic reaction.  
 EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

Water-based polymer dispersion

| Methyl methacrylate  | Substance for which an EU exposure limit value applies.                            |
|--|--|
| Registration number (REACH)  | ---  |
| Index  | 607-035-00-6   |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 201-297-1  |
| CAS  | 80-62-6  |
| content %  | 0,01 -<0,5   |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>STOT SE 3, H335 |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Irritation of the eyes

With long-term contact:

Dermatitis (skin inflammation)

Allergic reaction possible.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

n.c.

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

CO<sub>2</sub>

Foam

Extinction powder

Water jet spray

##### **Unsuitable extinguishing media**

None known

#### **5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop:

Oxides of carbon

Toxic pyrolysis products.

#### **5.3 Advice for firefighters**

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

##### **6.1.1 For non-emergency personnel**

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

No special measures required.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

##### **6.1.2 For emergency responders**

See section 8 for suitable protective equipment and material specifications.

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

#### **6.3 Methods and material for containment and cleaning up**

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

#### **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### **7.1 Precautions for safe handling**

##### **7.1.1 General recommendations**

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Page 4 of 12  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

Observe directions on label and instructions for use.

**7.1.2 Notes on general hygiene measures at the workplace**

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

**7.2 Conditions for safe storage, including any incompatibilities**

Not to be stored in gangways or stair wells.  
 Store product closed and only in original packing.  
 Store at room temperature.  
 Protect from frost.

**7.3 Specific end use(s)**

No information available at present.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

| Chemical Name                                  | Methyl methacrylate   | Content %:0,01-<br><0,5 |
|--|---|-------------------------|
| WEL-TWA: 50 ppm (208 mg/m3) (WEL), 50 ppm (EU) | WEL-STEL: 100 ppm (416 mg/m3) (WEL), 100 ppm (EU)   | ---                     |
| Monitoring procedures:                         | - Compur - KITA-184 S (548 618)<br>- NIOSH 2537 (Methyl and ethyl metacrylate) - 2003 - EU project<br>- BC/CEN/ENTR/000/2002-16 card 109-2 (2004)<br>- OSHA 94 (Methyl Methacrylate) - 1992 |                         |
| BMGV: ---                                      | Other information: ---  |                         |

| Methyl methacrylate     |  |                             |            |       |              |      |
|-------------------------|--|-----------------------------|------------|-------|--------------|------|
| Area of application     | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit         | Note |
|                         | Environment - freshwater                   |                             | PNEC       | 0,94  | mg/l         |      |
|                         | Environment - marine                       |                             | PNEC       | 0,094 | mg/l         |      |
|                         | Environment - sediment                     |                             | PNEC       | 5,74  | mg/kg        |      |
|                         | Environment - soil                         |                             | PNEC       | 1,47  | mg/kg        |      |
|                         | Environment - sewage treatment plant       |                             | PNEC       | 10    | mg/l         |      |
| Consumer                | Human - inhalation                         | Long term, local effects    | DNEL       | 105   | mg/m3        |      |
| Consumer                | Human - dermal                             | Long term, local effects    | DNEL       | 1,5   | mg/cm2       |      |
| Consumer                | Human - inhalation                         | Long term, systemic effects | DNEL       | 74,3  | mg/m3        |      |
| Consumer                | Human - dermal                             | Long term, systemic effects | DNEL       | 8,2   | mg/kg bw/day |      |
| Consumer                | Human - oral                               | Long term, local effects    | DNEL       | 1,5   | mg/cm2       |      |
| Industrial / commercial | Human - dermal                             | Long term, local effects    | DNEL       | 1,5   | mg/cm2       |      |
| Industrial / commercial | Human - inhalation                         | Long term, local effects    | DNEL       | 208   | mg/m3        |      |
| Industrial / commercial | Human - inhalation                         | Long term, systemic effects | DNEL       | 208   | mg/m3        |      |
| Industrial / commercial | Human - dermal                             | Long term, systemic effects | DNEL       | 13,67 | mg/kg        |      |
| Industrial / commercial | Human - dermal                             | Short term, local effects   | DNEL       | 1,5   | mg/cm2       |      |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective gloves made of natural rubber latex (EN ISO 374).

Minimum layer thickness in mm:

0,6

Permeation time (penetration time) in minutes:

120

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

**8.2.3 Environmental exposure controls**

No information available at present.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

|   |  |
|---|--|
| Physical state:   | Liquid   |
| Colour:   | Clear  |
| Odour:  | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:   | Not combustible.                                     |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:  | There is no information available on this parameter. |
| Auto-ignition temperature:                                | There is no information available on this parameter. |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:   | 6,9  |
| Kinematic viscosity:                                      | There is no information available on this parameter. |
| Solubility:   | Mixable  |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:  | There is no information available on this parameter. |
| Density and/or relative density:                          | There is no information available on this parameter. |
| Relative vapour density:                                  | There is no information available on this parameter. |
| Particle characteristics:                                 | Does not apply to liquids.                           |

**9.2 Other information**

|                    |  |
|--------------------|--|
| Explosives:        | There is no information available on this parameter. |
| Oxidising liquids: | No   |

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

See also Subsection 10.2 to 10.6.  
 The product has not been tested.

**10.2 Chemical stability**

See also Subsection 10.1 to 10.6.  
 Stable with proper storage and handling.

**10.3 Possibility of hazardous reactions**

See also Subsection 10.1 to 10.6.  
 No decomposition if used as intended.

**10.4 Conditions to avoid**

See also section 7.  
 Strong heat

**10.5 Incompatible materials**

See also section 7.  
 Radical former (Initiators)  
 Peroxides  
 Reducing agent  
 Heavy metals

**10.6 Hazardous decomposition products**

See also Subsection 10.1 to 10.5.  
 See also section 5.2  
 No decomposition when used as directed.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Possibly more information on health effects, see Section 2.1 (classification).

**RASCOflex AY808 A-Comp**

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|-------|------|----------|-------------|-------|
|-------------------|----------|-------|------|----------|-------------|-------|

Page 7 of 12  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

|   |  |  |  |  |  |        |
|---|--|--|--|--|--|--------|
| Acute toxicity, by oral route:                                |  |  |  |  |  | n.d.a. |
| Acute toxicity, by dermal route:                              |  |  |  |  |  | n.d.a. |
| Acute toxicity, by inhalation:                                |  |  |  |  |  | n.d.a. |
| Skin corrosion/irritation:                                    |  |  |  |  |  | n.d.a. |
| Serious eye damage/irritation:                                |  |  |  |  |  | n.d.a. |
| Respiratory or skin sensitisation:                            |  |  |  |  |  | n.d.a. |
| Germ cell mutagenicity:                                       |  |  |  |  |  | n.d.a. |
| Carcinogenicity:  |  |  |  |  |  | n.d.a. |
| Reproductive toxicity:  |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |  |  | n.d.a. |
| Aspiration hazard:  |  |  |  |  |  | n.d.a. |
| Symptoms:   |  |  |  |  |  | n.d.a. |

| <b>Methyl methacrylate</b>                                    |                 |              |             |                 |  |   |
|---|-----------------|--------------|-------------|-----------------|--|---|
| <b>Toxicity / effect</b>                                      | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b> | <b>Test method</b>                                     | <b>Notes</b>  |
| Acute toxicity, by oral route:                                | LD50            | >6000        | mg/kg       | Rat             | OECD 401 (Acute Oral Toxicity)                         |   |
| Acute toxicity, by dermal route:                              | LD50            | >5000        | mg/kg       | Rabbit          | OECD 402 (Acute Dermal Toxicity)                       |   |
| Acute toxicity, by inhalation:                                | LC50            | 29,8         | mg/l/4h     | Rat             |  | Vapours   |
| Serious eye damage/irritation:                                |                 |              |             | Rabbit          | OECD 405 (Acute Eye Irritation/Corrosion)              | Mild irritant   |
| Respiratory or skin sensitisation:                            |                 |              |             | Human being     |  | Skin Sens. 1  |
| Respiratory or skin sensitisation:                            |                 |              |             | Mouse           | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | Yes (skin contact)  |
| Germ cell mutagenicity:                                       |                 |              |             |                 | OECD 471 (Bacterial Reverse Mutation Test)             | Negative  |
| Carcinogenicity:  |                 |              |             |                 |  | Negative  |
| Reproductive toxicity:  |                 |              |             |                 |  | Negative  |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL           | 2000         | ppm         | Rat             |  |   |
| Aspiration hazard:  |                 |              |             |                 |  | No indications of such an effect.   |
| Symptoms:   |                 |              |             |                 |  | breathing difficulties, respiratory distress, drowsiness, drop in blood pressure, coughing, headaches, fatigue, mucous membrane irritation, watering eyes, mental confusion |

Page 8 of 12  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

|   |       |      |     |       |  |                 |
|---|-------|------|-----|-------|--|-----------------|
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 1000 | ppm | Mouse |  | 14w, 6h/d, 5d/w |
|---|-------|------|-----|-------|--|-----------------|

## 11.2. Information on other hazards

| RASCOflex AY808 A-Comp           |          |       |      |          |             |   |
|----------------------------------|----------|-------|------|----------|-------------|---|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes   |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.   |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| RASCOflex AY808 A-Comp                   |          |      |       |      |          |             |   |
|--|----------|------|-------|------|----------|-------------|---|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes   |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.  |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.  |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.  |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.  |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.  |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.  |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.   |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |

| Methyl methacrylate                  |          |      |       |      |                                  |   |                       |
|--------------------------------------|----------|------|-------|------|----------------------------------|---|-----------------------|
| Toxicity / effect                    | Endpoint | Time | Value | Unit | Organism                         | Test method   | Notes                 |
| 12.1. Toxicity to fish:              | LC50     | 96h  | 130   | mg/l | Pimephales promelas              | OECD 203 (Fish, Acute Toxicity Test)                            |                       |
| 12.1. Toxicity to algae:             | EC50     | 72h  | >110  | mg/l | Pseudokirchnerie lla subcapitata | OECD 201 (Alga, Growth Inhibition Test)                         |                       |
| 12.1. Toxicity to algae:             | EC50     | 96h  | 37    | mg/l | Selenastrum capricornutum        | OECD 201 (Alga, Growth Inhibition Test)                         |                       |
| 12.1. Toxicity to algae:             |          | 7d   | 37    | mg/l | Scenedesmus quadricauda          |   |                       |
| 12.2. Persistence and degradability: |          | 28d  | >95   | %    |                                  | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | Readily biodegradable |



|  |         |  |           |  |  |   |   |
|--|---------|--|-----------|--|--|---|---|
| 12.3. Bioaccumulative potential:         | Log Pow |  | 1,32-1,38 |  |  | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | A notable biological accumulation potential is not to be expected (LogPow 1-3). |
| 12.5. Results of PBT and vPvB assessment |         |  |           |  |  |   | No PBT substance, No vPvB substance   |

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

##### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Untampered packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

### SECTION 14: Transport information

#### General statements

14.1. UN number or ID number: n.a.

#### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

#### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

#### Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

### SECTION 15: Regulatory information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 01.11.2021 / 0008  
 Replacing version dated / version: 28.02.2019 / 0007  
 Valid from: 01.11.2021  
 PDF print date: 01.11.2021  
 RASCOflex AY808 A-Comp

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:  
 General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): < 0,5 %

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections: 1-16

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

- Flam. Liq. — Flammable liquid
- Skin Irrit. — Skin irritation
- Skin Sens. — Skin sensitization
- STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

### Key literature references and sources for data:

- Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.
- Guidelines for the preparation of safety data sheets as amended (ECHA).
- Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).
- Safety data sheets for the constituent substances.
- ECHA Homepage - Information about chemicals.
- GESTIS Substance Database (Germany).
- German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).
- EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.
- National Lists of Occupational Exposure Limits for each country as amended.
- Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

## Any abbreviations and acronyms used in this document:

- acc., acc. to according, according to
- ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
- AOX Adsorbable organic halogen compounds
- approx. approximately
- Art., Art. no. Article number
- ASTM ASTM International (American Society for Testing and Materials)
- ATE Acute Toxicity Estimate
- BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
- BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
- BCF Bioconcentration factor
- BSEF The International Bromine Council
- bw body weight
- CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, Eblx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, Erlx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

Page 12 of 12  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 01.11.2021 / 0008  
Replacing version dated / version: 28.02.2019 / 0007  
Valid from: 01.11.2021  
PDF print date: 01.11.2021  
RASCOflex AY808 A-Comp

---

VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.