

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RASCOflex AY A-Cat

UFI: N6Q9-T7C6-170S-FE6J

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

2K injection sealant

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	RASCOR International Ltd.		
Street:	Gewerbstrasse 4		
Place:	CH-8162 Steinmaur		
Telephone:	+41 (0)448571111		
E-mail:	info@rascor.com		
Contact person:	Labor	Telephone:	+41 (0)44 857 11 11
E-mail:	labor@rascor.com		
Internet:	www.rascor.com		

1.4. Emergency telephone number:

+41 44 251 51 51

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

The mixture does not contain a vPvB substance (vPvB = very persistent, very bioaccumulative) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
107-21-1	ethanediol; ethylene glycol			40-60%
	203-473-3	603-027-00-1		
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 2 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
107-21-1	203-473-3	ethanediol; ethylene glycol	40-60%
		dermal: LD50 = >3500 mg/kg; oral: LD50 = >7712 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

- Ensure that first aiders protect themselves!
- Never give anything by mouth to an unconscious person!

After inhalation

- Remove person from danger zone. Supply the person with fresh air and consult a doctor depending on the symptoms.

After contact with skin

- Wash thoroughly with plenty of soap and water, remove contaminated, soaked clothing immediately, consult a doctor if skin irritation (redness etc.) occurs.

After contact with eyes

- Remove contact lenses.
- Rinse thoroughly with plenty of water for several minutes, consult a doctor if necessary.

After ingestion

- Rinse mouth thoroughly with water, give plenty of water to drink, consult a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

- If applicable, delayed symptoms and effects can be found in section 11. or in the intake routes under section 4.1.

May occur:

Irritation of the eyes In case of prolonged contact:

Dermatitis (skin inflammation) Sensitive persons:

Allergic reaction possible.

In certain cases, symptoms of poisoning may only appear after a longer period of time/after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

- Water spray jet Foam Dry extinguishing powder

Unsuitable extinguishing media

- No information available.

5.2. Special hazards arising from the substance or mixture

- In case of fire may be liberated:

Carbon monoxide Carbon dioxide (CO₂) Nitrogen oxides (NO_x) Gases/vapours, toxic

5.3. Advice for firefighters

- Personal protective equipment see section 8. Do not inhale explosion and combustion gases.

Self-contained breathing apparatus. Depending on the size of the fire

Full protection if necessary.

Cool endangered containers with water.

Dispose of contaminated extinguishing water in accordance with official regulations.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 3 of 10

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as described in section 8 to prevent contamination.

Ensure adequate ventilation, remove sources of ignition.

In case of solid or powdery products, avoid dust formation. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure adequate ventilation.

Avoid contact with eyes and skin. Be aware of the risk of slipping.

For emergency responders

Personal protection equipment: see section 8

6.2. Environmental precautions

In case of leakage of larger quantities, contain. Eliminate leaks if possible without risk. Do not allow to enter the sewage system.

Avoid penetration into surface and ground water as well as into the soil.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure good room ventilation. Avoid contact with eyes and skin.

Do not eat, drink, smoke or store food in the work area. Observe the information on the label and the instructions for use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

The general hygiene measures for handling chemicals must be applied. Wash hands before breaks and at the end of work.

Keep away from food, drink and animal feed.

Remove contaminated clothing and protective equipment before entering areas where food is eaten.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Do not store the product in passageways and stairways. Store product only in original packaging and closed.

Store at room temperature.

Protect from frost. Keep container tightly closed.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 4 of 10

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
107-21-1	ethanediol; ethylene glycol			
Worker DNEL, long-term		inhalation	local	35 mg/m ³
Worker DNEL, long-term		dermal	systemic	106 mg/kg bw/day

PNEC values

CAS No	Substance	Value
107-21-1	ethanediol; ethylene glycol	
Freshwater		10 mg/l
Marine water		1 mg/l
Freshwater sediment		37 mg/l
Marine sediment		3,7 mg/l
Micro-organisms in sewage treatment plants (STP)		199,5 mg/l

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles (EN 166) tight-fitting with side shields, in case of risk of splashes.

Hand protection

Chemical-resistant protective gloves (EN ISO 374). If necessary

Protective gloves made of butyl (EN ISO 374) Protective gloves made of nitrile (EN ISO 374). Protective gloves made of PVC (EN ISO 374) Hand protection cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not carried out under practical conditions. A maximum wearing time corresponding to 50% of the breakthrough time is recommended.

Skin protection - Other protective measures:

Protective work clothing (e.g. safety shoes EN ISO 20345, long-sleeved work clothing).

Skin protection

Use of protective clothing.

Respiratory protection

Respiratory protection should be worn if the occupational exposure limits should be worn. If there are no occupational exposure limits, in the event of harmful effects such as respiratory irritation or physical discomfort or when indicated by the risk indicated by the risk assessment process, respiratory protection should be worn. In most

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 5 of 10

most cases, respiratory protection should not be necessary. However, if discomfort occurs an approved filtering facepiece respirator should be used.

The following CE approved respirator should be used: Cartridge for organic vapours vapours, type A (boiling point > 65 °C, complies with EN 14387).

Thermal hazards

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	neutral	
		Test method
Melting point/freezing point:	No information available.	
Boiling point or initial boiling point and boiling range:	>100 °C	
Flammability:	Flammable.	
Lower explosion limits:	1,8 vol. %	
Upper explosion limits:	12,8 vol. %	
Flash point:	>100 °C	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	11	
Water solubility:	easily soluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1.12 g/cm ³	ISO 2811
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustained combustibility:

UN Test L.2

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Viscosity / dynamic:
(at 20 °C)

60-90 mPa·s ISO 2555

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 6 of 10

10.4. Conditions to avoid

Safe handling: see section 7

10.5. Incompatible materials

Safe handling: see section 7

Oxidising agent, strong

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 1000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-21-1	ethanediol; ethylene glycol				
	oral	LD50 >7712 mg/kg	Rat		
	dermal	LD50 >3500 mg/kg	Mouse		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
107-21-1	ethanediol; ethylene glycol					
	Acute fish toxicity	LC50 mg/l	72860	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 mg/l	6500	96 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 8 of 10

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Dispose according to legislation. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Directive 2010/75/EU on industrial emissions:	0%
Directive 2004/42/EC on VOC in paints and varnishes:	0%
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
--------------------------	--

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 9 of 10

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 15.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
 Acute Tox: Acute toxicity

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Safety Data Sheet

according to UK REACH Regulation

RASCOflex AY A-Cat

Revision date: 30.09.2025

Page 10 of 10

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Barrier (Sealant)	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)