Print date: 30.09.2025



### **Safety Data Sheet**

according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

RASCOflex GT761 A-Comp

UFI: 2XRH-TJD4-V915-3359

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants - building and construction works (except cement based adhesives)

#### 1.3. Details of the supplier of the safety data sheet

Company name: RASCOR International Ltd.

Street: Gewerbestrasse 4
Place: CH-8162 Steinmaur
Telephone: +41 (0)448571111
E-mail: info@rascor.com

Contact person: Labor Telephone: +41 (0)44 857 11 11

E-mail: labor@rascor.com lnternet: www.rascor.com

1.4. Emergency telephone +41 44 251 51 51

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

### **GB CLP Regulation**

#### Hazard components for labelling

Tris(2-chlor-1-methylethyl)phosphat

Alcohols, C9-11, branched and linear, ethoxylated

Signal word: Danger

Pictograms:





#### **Hazard statements**

H300 Fatal if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 2 of 11

Print date: 30.09.2025

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to industrial incineration plant.

### 2.3. Other hazards

The mixture does not contain a vPvB substance (vPvB = very persistent, very bioaccumulative) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	e				
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
13674-84-5 Tris(2-chlor-1-methylethyl)phosphat				20 - < 25 %		
	911-815-4		01-2119486772-26			
	Acute Tox. 4; H302					
160901-09-7	Alcohols, C9-11, branched and linear, ethoxylated					
	500-446-0					
	Acute Tox. 4, Eye Dam. 1; H302 H318					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. I	pecific Conc. Limits, M-factors and ATE				
13674-84-5	911-815-4 Tris(2-chlor-1-methylethyl)phosphat					
	oral: LD50 = 15	oral: LD50 = 1500 mg/kg				
160901-09-7	500-446-0	Alcohols, C9-11, branched and linear, ethoxylated	5 - < 10 %			
	oral: ATE = 500 mg/kg					

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Medical treatment necessary. move the injured person to fresh air and ensure him or her warmth and peace. If worrisome symptoms occur, call the doctor.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. take off the contaminated clothes immediately. Rinse the contaminated area with copious amount of water. If worrisome symptoms occur, contact the doctor

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. consult the doctor immediately. Protect eye which remains not irritated and remove contact lenses. Rinse contaminated eye thoroughly with water for 10-15 minutes. Avoid strong jet of water – risk of corneal injury. Put on sterile dressing.

### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 3 of 11

Print date: 30.09.2025

perforation. Call a physician immediately. do not induce vomiting. Rinse mouth with water. Do not drink alcohol! Never give an unconscious person anything per mouth. Call the doctor immediately, show them the package or the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. The doctor shall decide on further rescue procedures upon prior detailed evaluation of the injured person's condition.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2) Extinguishing powder Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In fire conditions certain irritating and toxic vapours and gases may be generated: carbon oxides, nitrogen oxides, phosphorus oxides. Avoid inhaling combustion residues, since it may pose a risk for health.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. General protection measures typical for fire. Do not stay in places where there is a risk of fire without appropriate chemical-resistant clothes and breathing apparatus with independent air circulation. Do not allow extinguishing water to get into sewage system, surface waters and groundwater. Packages which are at risk of fire shall be cooled down from a safe distance with a sprayed jet of water. In temperature over 45°C the product may polymerise. Uncontrolled polymerisation in closed container poses a risk of explosion.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Limit the access of outside persons to the place of accident until appropriate cleaning procedures are completed. See that accident and its effects are removed entirely by trained staff. In case of larger spillage isolate the area in danger. Use personal protection measures. Avoid skin and eye contamination. Ensure sufficient ventilation. Do not inhale vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of releasing larger quantities of the product take up measures to avoid its spreading around to the natural environment. Notify competent rescue services.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Collect the product using materials which absorb liquids (e.g. sand, soil, all-purpose binding substances, silica etc.) and place it in garbage containers in order to dispose of it. Clean up the contaminated place.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Collect the product using materials which absorb liquids (e.g. sand, soil, all-purpose binding substances, silica etc.) and place it in garbage containers in



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 4 of 11

Print date: 30.09.2025

order to dispose of it. Clean up the contaminated place.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Observe the legal rules concerning protection and safety. Avoid contact with eye and skin. Do not allow the product to get into your mouth. Avoid situation where aerosols are generated. Avoid inhaling vapours. Ensure sufficient general and/or local ventilation. Use personal protection measures.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Store in original, properly labelled and tightly closed containers in dry, cool and sufficiently ventilated places.

### Hints on joint storage

Do not store together with food products or feed for animals. Recommended storage temperature: 15-25°C. Avoid fire and direct sun insolation. Containers shall be tightly closed until they are open. Already opened containers shall be sealed and stored in vertical position in order to avoid escape of the product.

#### 7.3. Specific end use(s)

No data available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles. Wear safety goggles (with side protection). Safety goggles (with side protection) should fulfil the requirements of EN 166 or similar.



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 5 of 11

Print date: 30.09.2025

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Hand protection: If prolonged or frequently repeated skin contact may occur,

Wear protective gloves impervious to this material. They are

chemical resistant gloves classified according to DIN EN 374 (protective gloves against chemicals and micro-organisms) must be used: Examples of preferred

glove materials are: Butyl rubber. Ethyl vinyl alcohol laminate ('EVAL').

Acceptable glove materials include: Neoprene. Nitrile /

Butadiene rubber ('nitrile' or 'NBR'). For prolonged or repeated contact

a glove with protection index 5 or higher is recommended (breakthrough time >240

minutes according to DIN EN 374). For brief contact only, a glove with

protection index 1 or higher (breakthrough time >10 minutes according to DIN EN

374). The thickness of the glove material alone is not a sufficient indicator to determine the

indicator for determining the level of protection of the glove against chemical

chemical substances. The level of protection is also highly dependent on

on the specific composition of the material of which the glove is made.

protective glove is made of. The thickness of the protective glove must, depending on the

thickness must always be more than 0.35 mm, depending on the model and material type, in order to provide sufficient protection in the event of prolonged and frequent contact with the substance.

with the substance. In deviation from this general rule, it is known that multi-layered

with the substance. In deviation from this general rule, it is known that multi-layered

laminate gloves with a thickness of less than 0.35 mm also offer extended protection.

protection. However, if only a short contact time with the substance is assumed

other glove materials with a thickness of less than 0.35 mm can also provide sufficient protection. less than 0.35 mm can provide adequate protection. CAUTION: When

When selecting suitable gloves for a particular use and duration in the

workplace should consider all relevant workplace conditions (but not limited to)

such as: Handling of other chemicals, physical conditions (protection against

physical conditions (protection against cuts and punctures, right-handedness, protection against heat), possible reactions of the body to glove materials and the instructions/specifications of the glove supplier should be considered.

### Skin protection

Use of protective clothing. Other protection: In case of prolonged or frequently repeated contact with the material

material, impermeable protective clothing must be worn. The wearing of special protective clothing such as face shield, protective gloves, protective footwear, protective apron or protective suit depends on the work process.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection should be worn if the occupational exposure limits

should be worn. If there are no occupational exposure limits, in the event of

harmful effects such as respiratory irritation or physical discomfort or when indicated by the risk

indicated by the risk assessment process, respiratory protection should be worn. In most

most cases, respiratory protection should not be necessary. However, if discomfort occurs an approved filtering facepiece respirator should be used.

The following CE approved respirator should be used: Cartridge for organic vapours vapours, type A (boiling point > 65 °C, complies with EN 14387).

#### Thermal hazards

No data available

### **Environmental exposure controls**

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 6 of 11

Print date: 30.09.2025

measures to prevent overexposure to the environment during use and disposal. during waste disposal.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: light yellow Odour: neutral

Melting point/freezing point: not determined Boiling point or initial boiling point and >200 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: 100 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined not determined Viscosity / kinematic: Water solubility: The study does not need to be conducted

because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

not determined Partition coefficient n-octanol/water: Vapour pressure: 1 hPa

(at 20 °C)

Density: 1.08 g/cm<sup>3</sup> Relative vapour density: not determined Particle characteristics: not applicable

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, strong

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No information available.

Print date: 30.09.2025



### **Safety Data Sheet**

according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025 Page 7 of 11

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Harmful if swallowed.

#### **ATEmix tested**

Dose Species Source

LD50, oral 1.515 mg/kg Rat LD50, dermal >2000 mg/kg Rabbit LC50, inhalation (vapour) (4 h) >20 mg/l Rat

#### **ATEmix calculated**

ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
13674-84-5	Tris(2-chlor-1-methylethyl)phosphat						
	oral	LD50 1500 mg/kg	Rat				
160901-09-7	Alcohols, C9-11, branched and linear, ethoxylated						
	oral	ATE 500 mg/kg					

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation. (On basis of test data)

Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

## 12.2. Persistence and degradability



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 8 of 11

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080114

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; sludges from paint or varnish other than those mentioned in 08 01 13

#### List of Wastes Code - used product

080114

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; sludges from paint or varnish other than those mentioned in 08 01 13

#### List of Wastes Code - contaminated packaging

080114

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; sludges from paint or varnish other than those mentioned in 08 01 13

## **Contaminated packaging**

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025

Page 9 of 11

Print date: 30.09.2025

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

2012/18/EU (SEVESO III):

H1 ACUTE TOXIC

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1.



according to UK REACH Regulation

## RASCOflex GT761 A-Comp

Revision date: 05.06.2025 Page 10 of 11

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	
Skin Irrit. 2; H315	On basis of test data
Eye Dam. 1; H318	On basis of test data

### Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Print date: 30.09.2025



## **Safety Data Sheet**

according to UK REACH Regulation

# **RASCOflex GT761 A-Comp**

Revision date: 05.06.2025 Page 11 of 11

### **Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	industrial	-	-		-	-	-	-	

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

SU: Sectors of use PROC: Process categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)