Telephone: +41 (0)44 857 11 11



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

RASCOflex PU516F Comp

UFI: CW2D-TY44-933N-PDCS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Barrier (Sealant)

1.3. Details of the supplier of the safety data sheet

Company name: RASCOR International Ltd.

Street: Gewerbestrasse 4
Place: CH-8162 Steinmaur
Telephone: +41 (0)448571111
E-mail: info@rascor.com

Contact person: Labor

E-mail: labor@rascor.com lnternet: www.rascor.com

1.4. Emergency telephone +41 44 251 51 51

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Carc. 2; H351 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Methylendiphenylisocyanate

Signal word: Danger

Pictograms:





Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 2 of 11

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P403 Store in a well-ventilated place.

Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

2.3. Other hazards

Endocrine disrupting properties: Methylendiphenylisocyanate.

The mixture does not contain a vPvB substance (vPvB = very persistent, very bioaccumulative) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or does not fall under Annex XIII of Regulation (EC) 1907/2006 (< 0.1 %). The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name						
	EC No Index No REACH No						
	Classification (GB CLP Regulation)						
9016-87-9	Methylendiphenylisocyanate						
	618-498-9						
	Carc. 2; H351						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
9016-87-9	618-498-9 Methylendiphenylisocyanate		90 - < 95 %		
	dermal: LD50 = 9400 mg/kg; oral: LD50 = 10000 mg/kg				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Ensure that first aiders protect themselves!

Never give anything by mouth to an unconscious person!

After inhalation

Remove person from danger zone. Supply the person with fresh air and consult a doctor depending on the symptoms.

After contact with skin

Wash thoroughly with plenty of soap and water, remove contaminated, soaked clothing immediately, consult a doctor if skin irritation (redness etc.) occurs.



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 3 of 11

After contact with eyes

Remove contact lenses.

Rinse thoroughly with plenty of water for several minutes, consult a doctor if necessary.

After ingestion

Rinse mouth thoroughly with water, give plenty of water to drink, consult a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available. May occur: In the case of sensitisation, even concentrations below the limit value can result in signs of asthma. Watering of the eyes, coughing, irritation of the respiratory tract, irritation of the nasal and pharyngeal mucous membranes, shortness of breath, pulmonary oedema, headaches, dehydration of the skin, dermatitis (skin inflammation), skin discolouration.

Other dangerous properties cannot be ruled out. In certain cases, the symptoms of poisoning may only appear after a longer period of time/after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Dry extinguishing powder Foam Carbon dioxide (CO2) Extinguishing powder Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In fire conditions certain irritating and toxic vapours and gases may be generated: carbon oxides, nitrogen oxides, isocyanate vapours, hydrocyanic. Avoid inhaling combustion residues, since it may pose a risk for health.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as described in section 8 to prevent contamination.

Ensure adequate ventilation, remove sources of ignition.

In case of solid or powdery products, avoid dust formation. Leave the danger zone if possible, use existing emergency plans if necessary. Ensure adequate ventilation.

Avoid contact with eyes and skin. Be aware of the risk of slipping.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 4 of 11

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

Ensure good room ventilation. Avoid contact with eyes and skin.

Do not eat, drink, smoke or store food in the work area. Observe the information on the label and the instructions for use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Barrier (Sealant)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

protective work clothing

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. EN 166



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 5 of 11

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

FN ISO 374

Skin protection

Use of protective clothing. protective work clothing Chemical resistant safety shoes EN ISO 20345

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filtering device (full mask or mouthpiece) with

filter: A2 P2 EN 14387

Thermal hazards

No information available.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: earthy

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined
Flash point: not determined
Auto-ignition temperature: not determined
Decomposition temperature: not determined
pH-Value: not determined
Viscosity / kinematic: not determined
Water solubility: The study does not need to be conducted

because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 4.2 hPa

(at 20 °C)

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

1.12 g/cm³

not determined

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 6 of 11

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions. The product has not been tested.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

Avoid contact with: Strong acids. Strong bases. Strong oxidising agents. Alcohols Amines

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

Further information

The substance does not meet the PBT or vPvB requirements in accordance with the Annex no. 13 to the REACH Regulation. Carbon dioxide is produced as a result of the reaction of the product with water, which may burst closed containers. The reaction accelerates in higher temperatures.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
9016-87-9	Methylendiphenylisocyan	Methylendiphenylisocyanate						
	oral	LD50 10000 mg/kg	Rat					
	dermal	LD50 9400 mg/kg	Rabbit					

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation. (On basis of test data)

Serious eye damage/eye irritation: Causes serious eye irritation. (On basis of test data)

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (On basis of test data)

May cause an allergic skin reaction. (On basis of test data)

Contains isocyanates. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (On basis of test data)

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (On basis of test data)



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 7 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: Methylendiphenylisocyanate.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose	ose [h]		Species	Source	Method	
9016-87-9	Methylendiphenylisocyanate							
	Acute fish toxicity	LC50 mg/l	>1000		Cyprinus carpio (Common Carp)			
	Acute algae toxicity	ErC50 mg/l	1640		Scenedesmus quadricauda			
	Acute crustacea toxicity	EC50 mg/l	>500		Daphnia magna (Big water flea)			

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 8 of 11

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF 080409

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 9 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

0%

0%

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Directive 2010/75/EU on industrial

Directive 2 emissions:

Directive 2004/42/EC on VOC in

paints and varnishes:

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,15.



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 10 of 11

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Skin Irrit: Skin irritation Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Carc: Carcinogenicity

STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure		
Carc. 2; H351	On basis of test data		
Skin Irrit. 2; H315	On basis of test data		
Eye Irrit. 2; H319	On basis of test data		
Resp. Sens. 1; H334	On basis of test data		
Skin Sens. 1; H317	On basis of test data		
STOT SE 3; H335	On basis of test data		

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.



Safety Data Sheet

according to UK REACH Regulation

RASCOflex PU516F Comp

Revision date: 30.09.2025 Page 11 of 11

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

EUH204 Contains isocyanates. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Barrier (Sealant)	-	-	-	-	-	-	-	

SU: Sectors of use

AC: Article categories

PROC: Process categories

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)